

**Safety data sheet**

according to 1907/2006/EC, Article 31 and 2020/878

Printing date 23.01.2024

Version number 18

Revision: 23.01.2024

**\* SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Trade name:** bauprotec 700, -800, -820, -850M, -900E, -FLP, -FLP plus, -SLP, -RHS, -BAM 20**UFI:**

HS00-V0W2-M009-06Y1 for bauprotec BAM 20

2800-U0RP-S00A-15FN for bauprotec 700

3A00-C0F3-200T-QH1Q for bauprotec 800

CH00-C0TV-P00T-166U for bauprotec 850 M

YK00-V0H9-0009-PHSW for bauprotec SLP

EP00-D06P-900S-CVCY for bauprotec RHS

N000-A0PG-U00U-24QF for bauprotec 900 E

Q110-D0Y8-H00S-07Q7 for bauprotec FLP plus

SY10-Y0JM-W007-803X for bauprotec FLP

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

**Application of the substance / the mixture**

Construction chemicals

plaster

**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

CASEA GmbH

Pontelstraße 3

99755 Ellrich

Germany

**Further information obtainable from:**

product safety / laboratory:

E-Mail: [grit.losch@casea-gips.de](mailto:grit.losch@casea-gips.de)**1.4 Emergency telephone number:** Giftinformationszentrum Göttingen +49 (0) 551/19240**\* SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

**2.2 Label elements****Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

**Hazard pictograms**

GHS05

**Signal word** Danger

(Contd. on page 2)

— EU —

# Safety data sheet

according to 1907/2006/EC, Article 31 and 2020/878

Printing date 23.01.2024

Version number 18

Revision: 23.01.2024

**Trade name: bauprotec 700, -800, -820, -850M, -900E, -FLP, -FLP plus, -SLP, -RHS, -BAM 20**

(Contd. of page 1)

## Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

## Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor/.

P321 Specific treatment (see on this label).

P332+P313 If skin irritation occurs: Get medical advice/attention.

## 2.3 Other hazards

### Results of PBT and vPvB assessment

**PBT:** Not applicable.

**vPvB:** Not applicable.

## \* SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

**Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
CAS: 1305-62-0 EINECS: 215-137-3	calcium dihydroxide ☠ Eye Dam. 1, H318 ⚠ Skin Irrit. 2, H315; STOT SE 3, H335	2.5 – 10%
CAS: 65997-15-1 EINECS: 266-043-4	Cement, portland, chemicals ☠ Eye Dam. 1, H318 ⚠ Skin Irrit. 2, H315; STOT SE 3, H335	2.5 – 10%

**Additional information:** For the wording of the listed hazard phrases refer to section 16.

## \* SECTION 4: First aid measures

### 4.1 Description of first aid measures

**After inhalation:** In case of unconsciousness place patient stably in side position for transportation.

**After skin contact:** Immediately wash with water and soap and rinse thoroughly.

**After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

**After swallowing:** If symptoms persist consult doctor.

### 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## \* SECTION 5: Firefighting measures

### 5.1 Extinguishing media

**Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.

(Contd. on page 3)

## Safety data sheet

according to 1907/2006/EC, Article 31 and 2020/878

Printing date 23.01.2024

Version number 18

Revision: 23.01.2024

Trade name: **bauprotect 700, -800, -820, -850M, -900E, -FLP, -FLP plus, -SLP, -RHS, -BAM 20**

(Contd. of page 2)

**5.2 Special hazards arising from the substance or mixture** No further relevant information available.

**5.3 Advice for firefighters**

**Protective equipment:** No special measures required.

### \* SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

**6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

**6.3 Methods and material for containment and cleaning up:**

Use neutralising agent.

Dispose contaminated material as waste according to section 13.

**6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### \* SECTION 7: Handling and storage

**7.1 Precautions for safe handling** Thorough dedusting.

**Information about fire - and explosion protection:** No special measures required.

**7.2 Conditions for safe storage, including any incompatibilities**

**Storage:**

**Requirements to be met by storerooms and receptacles:** No special requirements.

**Information about storage in one common storage facility:** Not required.

**Further information about storage conditions:** Keep container tightly sealed.

**Storage class:**

LGK 3

13

**7.3 Specific end use(s)** No further relevant information available.

### \* SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

**Ingredients with limit values that require monitoring at the workplace:**

**CAS: 1305-62-0 calcium dihydroxide (2.5 – 10%)**

IOELV	Short-term value: 4 mg/m <sup>3</sup> Long-term value: 1 mg/m <sup>3</sup> Respirable fraction
-------	--

**Additional information:** The lists valid during the making were used as basis.

#### 8.2 Exposure controls

**Appropriate engineering controls** No further data; see section 7.

**Individual protection measures, such as personal protective equipment**

**General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

(Contd. on page 4)

**Safety data sheet**

according to 1907/2006/EC, Article 31 and 2020/878

Printing date 23.01.2024

Version number 18

Revision: 23.01.2024

**Trade name: bauprotec 700, -800, -820, -850M, -900E, -FLP, -FLP plus, -SLP, -RHS, -BAM 20**

(Contd. of page 3)

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

**Respiratory protection:** Not required.**Hand protection**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**For the permanent contact gloves made of the following materials are suitable:** Natural rubber, NR**For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**

Natural rubber, NR

**Eye/face protection** Not required.**Body protection:** Protective work clothing**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties****General Information****Physical state**

Solid

**Colour:**

Whitish

**Odour:**

Recognisable

**Odour threshold:**

Not determined.

**Boiling point or initial boiling point and boiling range**

Undetermined.

**Flammability**

Not determined.

**Lower and upper explosion limit****Lower:**

Not determined.

**Upper:**

Not determined.

**Flash point:**

Not applicable.

**Decomposition temperature:**

Not determined.

**pH**

Not applicable.

**Viscosity:****Kinematic viscosity**

Not applicable.

**Dynamic:**

Not applicable.

**Solubility****water:**

Soluble.

**Partition coefficient n-octanol/water (log value)**

Not determined.

**Vapour pressure:**

Not applicable.

(Contd. on page 5)

## Safety data sheet

according to 1907/2006/EC, Article 31 and 2020/878

Printing date 23.01.2024

Version number 18

Revision: 23.01.2024

Trade name: **bauprotec 700, -800, -820, -850M, -900E, -FLP, -FLP plus, -SLP, -RHS, -BAM 20**

(Contd. of page 4)

<b>Density and/or relative density</b>	
Density at 20 °C:	1.8 g/cm <sup>3</sup>
Relative density	Not determined.
Vapour density	Not applicable.
<b>Particle characteristics</b>	
See section 3.	
<b>9.2 Other information</b>	
<b>Appearance:</b>	
Form:	Powder
<b>Important information on protection of health and environment, and on safety.</b>	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
<b>Solvent content:</b>	
Organic solvents:	0.0 %
Solids content:	100.0 %
<b>Change in condition</b>	
Evaporation rate	Not applicable.
<b>Information with regard to physical hazard classes</b>	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

### SECTION 10: Stability and reactivity

**10.1 Reactivity** No further relevant information available.

**10.2 Chemical stability**

**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

**10.3 Possibility of hazardous reactions** No dangerous reactions known.

**10.4 Conditions to avoid** No further relevant information available.

**10.5 Incompatible materials:** No further relevant information available.

(Contd. on page 6)

## Safety data sheet

according to 1907/2006/EC, Article 31 and 2020/878

Printing date 23.01.2024

Version number 18

Revision: 23.01.2024

Trade name: **bauprotec 700, -800, -820, -850M, -900E, -FLP, -FLP plus, -SLP, -RHS, -BAM 20**

(Contd. of page 5)

**10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### \* SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Acute toxicity** Based on available data, the classification criteria are not met.

**Skin corrosion/irritation** Causes skin irritation.

**Serious eye damage/irritation** Causes serious eye damage.

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure** Based on available data, the classification criteria are not met.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

#### 11.2 Information on other hazards

##### Endocrine disrupting properties

None of the ingredients is listed.

### \* SECTION 12: Ecological information

#### 12.1 Toxicity

**Aquatic toxicity:** No further relevant information available.

**12.2 Persistence and degradability** No further relevant information available.

**12.3 Bioaccumulative potential** No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

#### 12.5 Results of PBT and vPvB assessment

**PBT:** Not applicable.

**vPvB:** Not applicable.

#### 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

#### 12.7 Other adverse effects

##### Additional ecological information:

##### General notes:

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### \* SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

##### Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

**European waste catalogue** 17 08 02

(Contd. on page 7)

## Safety data sheet

according to 1907/2006/EC, Article 31 and 2020/878

Printing date 23.01.2024

Version number 18

Revision: 23.01.2024

**Trade name: bauprotec 700, -800, -820, -850M, -900E, -FLP, -FLP plus, -SLP, -RHS, -BAM 20**

(Contd. of page 6)

**Uncleaned packaging:****Recommendation:** Disposal must be made according to official regulations.**Recommended cleansing agents:** Water, if necessary together with cleansing agents.

### \* SECTION 14: Transport information

<b>14.1 UN number or ID number</b> ADR, IMDG, IATA ADN	void Void
<b>14.2 UN proper shipping name</b> ADN IATA	Void void
<b>14.3 Transport hazard class(es)</b> ADR Class Label ADN/R Class:	void void Void
<b>IMDG</b> Class Label	void -
<b>IATA</b> Class Label	Void -
<b>14.4 Packing group</b> ADR, IMDG, IATA	Void
<b>14.5 Environmental hazards:</b> Marine pollutant:	No
<b>14.6 Special precautions for user</b> Hazard identification number (Kemler code): EMS Number: Segregation groups	Not applicable. - - Alkalis
<b>14.7 Maritime transport in bulk according to IMO instruments</b>	Not applicable.
<b>Transport/Additional information:</b> ADR Limited quantities (LQ) Transport category Tunnel restriction code	- - -
<b>UN "Model Regulation":</b>	Void

EU

(Contd. on page 8)

## Safety data sheet

according to 1907/2006/EC, Article 31 and 2020/878

Printing date 23.01.2024

Version number 18

Revision: 23.01.2024

Trade name: **bauprotec 700, -800, -820, -850M, -900E, -FLP, -FLP plus, -SLP, -RHS, -BAM 20**

(Contd. of page 7)

### \* SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

#### Hazard pictograms



GHS05

**Signal word** Danger

#### Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

#### Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor/.

P321 Specific treatment (see on this label).

P332+P313 If skin irritation occurs: Get medical advice/attention.

#### Directive 2012/18/EU

**Named dangerous substances - ANNEX I** None of the ingredients is listed.

#### **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

#### **REGULATION (EU) 2019/1148**

#### **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

#### **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

#### **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

#### **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

— EU —

(Contd. on page 9)



## Safety data sheet

according to 1907/2006/EC, Article 31 and 2020/878

Printing date 23.01.2024

Version number 18

Revision: 23.01.2024

**Trade name: bauprotec 700, -800, -820, -850M, -900E, -FLP, -FLP plus, -SLP, -RHS, -BAM 20**

(Contd. of page 8)

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

#### Contact:

Dr. rer. nat. Grit Losch

grit.losch@casea-gips.de

+49 36332/89260

**Date of previous version: 13.09.2022**

#### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

**\* Data compared to the previous version altered.**